## REMARKS

Favorable reconsideration of this application is requested in view of the above amendments and the following remarks. Claim 1 has been amended. The amendment to claim 1 is supported by the original disclosure, for example by page 44, lines 12-24 of the specification. Claims 1-19, 24-26 and 30 are pending.

## Claim Rejections - 35 USC § 102

Claims 1-15, 17, 19 and 30 are rejected under 35 USC 102(e) as being anticipated by Dolle et al. (US Publication No. 2005/01007355, now US Patent No. 7,160,902). Applicants respectfully traverse the rejection.

Compound 36 of Dolle has the following structure:

Compound 36 corresponds to ring B in the Formula (1) being a pyrrolidine ring. On the other hand, claim 1 recites that ring B is a piperazine ring which may be substituted, an imidazoline ring which may be substituted, an imidazole ring which may be substituted, a thiazoline ring which may be substituted, or a fused nitrogen-containing heterocyclic ring which may be substituted. Accordingly, Dolle does not anticipate claims 1-15, 17, 19 and 30.

## Claim Rejections - 35 USC § 112

Claim 1 is rejected under 35 USC 112, first paragraph, as failing to comply with the written description requirement. The rejection is rendered moot, as the excluded two species

and

$$\begin{array}{c|c} & & & & \\ & & & \\ Br & & & \\ O & & N \end{array}$$

have been removed. Applicants do not concede the correctness of the rejection.

## Claim Objections

Claims 2-17, 19 and 30 are objected to for depending on rejected claim 1. Applicants submit that the rejections to claim 1 should be withdrawn in view of the discussions above. Therefore, the objection to claims 2-17, 19 and 30 should be withdrawn.

In view of the above, favorable reconsideration in the form of a notice of allowance is courteously requested. The Examiner is invited to contact the undersigned at 612.455.3804 if there are any remaining issues.

Dated: 13 July 2009

Respectfully submitted,

HAMRE, SCHUMANN, MUELLER & Minneapolis, MN 55402-0902 (612) 455+3800

Douglas P. Mueller Reg. No. 30,300

DPM/ym